

# APP-Allgemein

Die App kann in verschiedenen Zuständen installiert sein. Diese Zuständen sind davon abhängig welche Optionen während den Konfiguration und des Builds festgelegt worden sind. Die nachfolgende Erklärungen zeigt die App allen Optionen, falls spezielle Fragen zu Ihrem Build vorhanden sind, wenden sie sich an die Organisation die Ihre Anwendung signiert hat, wie das geht erfahren sie hier.

## Hauptbildschirm

15:00 5.60 K/s

### BLE-Toolkit

Console  
Found: UART Service, MAC: B4:E6:2D:98:ED:AF  
Found: null, MAC: 08:B7:70:E8:9A:D1  
Found: null, MAC: 5F:47:ED:0E:99:15  
Found: null, MAC: 6F:15:69:7D:CA:76  
Found: null, MAC: 44:5E:16:43:14:86  
Found: honor watch S1-b97, MAC: B0:55:08:F7:9B:97  
Found: 94272\_5, MAC: 00:18:DA:0A:55:F7  
Found: Thermostat WRX, MAC: 08:6B:D7:C1:CF:32  
Found: null, MAC: 54:18:C3:0A:FE:71

Execution finished  
Negotiated MTU to: 247  
Connection changed to: RxBleConnectionState{CONNECTED}

Execution finished  
RxBleConnectionState{DISCONNECTED}

Execution finished

**EXECUTE**

{DISCONNECTED}  
Name: UART Service  
Mac: B4:E6:2D:98:ED:AF

From:

<https://www.ble-toolkit2.fynnhr.com/> - **BLE-Toolkit 2.0**

Permanent link:

<https://www.ble-toolkit2.fynnhr.com/doku.php?id=app-allgemein&rev=1558012048>

Last update: **2019/05/16 15:07**

